VOLUME 55 • AUTHOR INDEX

Abel T *see* Rütten A *et al*
Åberg Yngwe M *et al*. The role of income differences in explaining social inequalities in self rated health in Sweden and Britain, **556**
Adam S *see* Chapman G *et al*
Ajdacic-Gross V *et al*. How complete is AIDS surveillance in Europe? An eagle eye comparison with mortality data, **52**
Alberti SKGMM *see* Patel S *et al*
Allard R *et al*. Hepatitis A vaccination during an outbreak among gay men in Montréal, Canada, 1995–1997, **251**
Alvarez-Dardet C *see* Hernandez-Aguado I and Alvarez-Dardet C
see Hernandez-Aguado I and Alvarez-Dardet C
see Moncada RO and Alvarez-Dardet C
see La Parra D and Alvarez-Dardet C
Alvarez-Dardet C. Following one of Cochrane's pathways: *editorial*, **73**
Housing matters: *editorial*, **1**
Nuclear waste as a public health challenge: *editorial*, **449**
Alvarez-Dardet C, Hernandez-Aguado I. The new policy implications box, **689**
Alvarez-Dardet C, Ruiz MT. What can doctors do to reduce health inequalities?: *editorial*, **449**
Anand K *see* Kapoor SK *et al*
Antó JM *see* Marrugat J *et al*
Aquilina O *see* Grech V *et al*
Arcury TA *et al*. Predictors of incidence and prevalence of green tobacco sickness among Latino farmworkers in North Carolina, USA, **818**
Aro H *see* Hämäläinen J *et al*
Arstila M *see* Salomaa V *et al*
Artazcoz L *et al*. Gender inequalities in health among workers: the relation with family demands, **639**
Ashton J. Public health and moving upstream of terrorism: *editorial*, **849**
Public health at different levels: *editorial*, **769**
Ashton J, Hernandez-Aguado I. Violence and public health: *editorial*, **529**
Ashton JR *see* Bellis MA *et al*
August D *see* Wen SW *et al*
Avilés LA. Epidemiology as discourse: the politics of development institutions in the epidemiological Profile of El Salvador, **164**

Ballester F *see* Saez M *et al*
Ballester F *et al*. Air pollution and emergency hospital admissions for cardiovascular diseases in Valencia, Spain, **57**
Banegas JRB *see* Guallar-Castillón P *et al*
Barlow WE *see* Dionne CE *et al*
Barnett S *et al*. A multilevel analysis of the effects of rurality and social deprivation on premature limiting long term illness, **44**
Barratt A. Making the most of Pap tests: *editorial*, **774**
Barreto ML *et al*. Epidemiology is more than discourse: critical thoughts from Latin America: *editorial*, **158**
Bartley M, Ferrie J. Glossary: unemployment, job insecurity, and health, **776**
Baum F. Health, equity, justice and globalisation: some lessons from the People's Health Assembly, **613**
Just imagine politicians working for health equity: *editorial*, **290**
Bayard-Burfield L *et al*. Ethnicity, self reported psychiatric illness, and intake of psychotropic drugs in five ethnic groups in Sweden, **657**
Beauchemin J *see* Allard R *et al*
Beck DN *see* Olsen SF *et al*
Bédard L *see* Allard R *et al*
Bellis MA *et al*. Unexplained illness and deaths among injecting drug users in England: a case control study using Regional Drug Misuse Databases, **843**
Benach J *see* Artazcoz L *et al*
see Kapoor SK *et al*
Benach J *et al*. Material deprivation and leading causes of death by gender: evidence from a nationwide small area study, **239**
Benavides FG *see* Kapoor SK *et al*
Bengtsson C *see* Lingfors H *et al*
Bennett FI *see* Walker SP *et al*
Ben-Shlomo Y *see* Fallon UB *et al*
Berg S *see* Quirk JT *et al*
Berglund G *see* Merlo J *et al*
Bernabeu J *see* Perdiguero E *et al*
Berridge V. History in the public health tool kit : *editorial*, **611**
Bettcher DW, Wipfli H. Towards a more sustainable globalisation: the role of the public health community: *editorial*, **617**
Beynon C *see* Bellis MA *et al*
Bhopal R *see* Patel S *et al*
Birch PJ *see* Dickinson HO *et al*
Birnie E *see* Bonneux L and Birnie E
Birt CA. A widening horizon for European public health practice: *editorial*, **292**
Bjorck-Linné A *see* Merlo J *et al*
Black C *see* Frohlich N *et al*
Black RJ *see* Thomson CS *et al*
Blakely TA, Kawachi I. What is the difference between controlling for mean versus median income in analyses of income inequality?, **352**
Bobak M *see* Pikhart H *et al*
Boelle PY *see* Hanslik T *et al*
Bonita R *see* Choi BCK *et al*
Bonneux L, Birnie E. The discount rate in the economic evaluation of prevention: a thought experiment, **123**
Book reviews Benett P, CalmanK. Risk communication and public health, **528**
Fidler DP. International law and infectious diseases, **448**
Garrett MJ. Health futures. A handbook for health professionals, **768**
Keywords: Hahn RA, editor. Anthropology in public health. Bridging differences in culture and society, **528**
Koenig HG, McCullough ME, Larsen DB. Handbook of religion and health, **688**
Martin CN, Hughes RAC, *editors*. The epidemiology of neurological disorders, **528**
Matthews JNS. An introduction to randomized controlled clinical trials, **768**
Navarro V, *editor*. The political economy of social inequalities: consequences for health and quality of life, **768**
Shaw M, Dorling D, Gordon D, Davey Smith G. The widening gap: health inequalities and policy in Britain, **936**
Boreham CA *see* van Lenthe FJ *et al*
Boreham CAG *see* Murray LJ *et al*
Borrell C *see* Artazcoz L *et al*
see Benach J *et al*
see Plasència A and Borrell C
Borrell C *et al*. Trends in young adult mortality in three European cities: Barcelona, Bologna and Munich, 1986–1995, **577**
Borràs JM *see* Fernandez E *et al*
Borsboom GJJM *see* Mackenbach JP *et al*
Bouchard F *see* Klabunde C *et al*
Boutou O *see* Guizard A-V *et al*
Bowling A, Ebrahim S. Glossaries in public health: older people, **223**
Braun-Fahrländer C *see* Kahlmeier S *et al*
Braveman PA. Epidemiology and (neo-)colonialism: *editorial*, **160**
Breckenkamp J *see* Laaser U *et al*
Breilh J *see* Barreto ML *et al*
Brennan A *see* Cornell SJ *et al*
Brewster DH *see* Thomson CS *et al*
Bridgman S. Community health risk assessment after a fire with asbestos containing fallout, **921**
Britton A, McPherson K. Mortality in England and Wales attributable to current alcohol consumption, **383**
Broms K *see* Merlo J *et al*
Brooks DR *see* Mucci LA and Brooks DR
Brown P *see* Sobolev B *et al*
Browne S *see* O'Reilly D *et al*
Brownell LW, Naik PC. Does method of distribution improve GPs' response rate in questionnaire studies?: *letter*, **687**
Bruce N. Household energy, health and development: *editorial*, **221**
Brunner E *see* Marmot M *et al*
see Pryer JA *et al*
Buchner DM *see* Robertson MC *et al*
Buckland Y. A vision for public health development: *editorial*, **4**
Burström B *see* Åberg Yngwe M *et al*
Burström B, Fredlund P. Self rated health: Is it as good a predictor of subsequent mortality among adults in lower as well as in higher social classes?, **836**
Burton A *et al*. Folic acid: Is self reported use of supplements accurate?, **841**

Cabrera RH *see* Guallar-Castillón P *et al*
Cameron S *see* Taylor A *et al*
Campbell A. A new international public health target: *editorial*, **851**
Campbell AJ *see* Robertson MC *et al*
Campbell O *see* Sibai AM *et al*
Campbell R *et al*. Why don't patients do their exercises? Understanding non-compliance with physiotherapy in patients with osteoarthritis of the knee, **132**
Carlson P. Risk behaviours and self rated health in Russia 1998, **806**
Carnwath T *see* Millar T *et al*
Carrato A *see* Karhausen LR *et al*
Carriere KC *see* Frohlich N *et al*
Carroll D *see* Macleod J *et al*
see Pollard TM and Carroll D
Carsley J *see* Allard R *et al*
Carstensen JM *see* Nilsson S *et al*
Castilla J. The completeness of AIDS surveillance in Europe: difficulties and new challenges: *editorial*, **7**
Cavill N *see* Hillsdon M *et al*

Chamot E, Perneger TV. Misconceptions about efficacy of mammography screening: a public health dilemma, **799**
Chandra P *see* Rodriguez E *et al*
Chapman G *et al.* National Service Frameworks: promoting the public health: *editorial*, **373**
Chapman S *see* Drope J and Chapman S
Checkoway H *see* Dionne CE *et al*
Cheng KK *see* Maric RN *et al*
Chilcott JB *see* Cornell SJ *et al*
Chinchilli VM *see* Quirk JT *et al*
Choi BCK, Mowat D. Vision of a rapid, flexible, cost effective, survey-based public health surveillance system: *editorial*, **612**
Choi BCK *et al.* The need for global risk factor surveillance: *editorial*, **370**
Christensen K *et al.* Do genetic factors contribute to the association between birth weight and blood pressure?, **583**
Cirera E *see* Borrell C *et al*
Clark H *see* Wilson K *et al*
Clark TJ *et al.* Provision of pen along with questionnaire does not increase the response rate to a postal survey: a randomised controlled trial, **595**
Clements A *see* Hawton K *et al*
Coleman J. Meeting the health needs of young people: *editorial*, **532**
Colomér C *see* Koelen MA *et al*
Concha-Eastman A. Violence: a challenge for public health and for all, **597**
Cornell SJ *et al.* Is it feasible to plan secondary care services for coronary heart disease rationally? A quantified modelling approach for a UK Health Authority, **521**
Coutinho RA *see* van Ameijden EJC and Coutinho RA
Craine N *see* Millar T *et al*
Culhane DP *et al.* The co-occurrence of AIDS and homelessness: results from the integration of administrative databases for AIDS surveillance and public shelter utilisation in Philadelphia, **515**

Dalziel M. Mégapoles Project: working on behalf of socially disadvantaged groups: *editorial*, **154**
Davey Smith G *see* Dedman DJ *et al*
see Der G *et al*
see Fallon UB *et al*
see Hart CL *et al*
see Macleod J *et al*
see McCarron P *et al*
see McCarron P *et al*
see Metcalfe C *et al*
see Murray LJ *et al*
see Ness AR *et al*
see van Lenthe FJ *et al*
Davey Smith G *et al.* Area based measures of social and economic circumstances: cause specific mortality patterns depend on the choice of index, **149**
Leg length, insulin resistance, and coronary heart disease risk: The Caerphilly Study, **867**
Population change and mortality in men and women: *editorial*, **9**
Social circumstances in childhood and cardiovascular disease mortality: prospective observational study of Glasgow University students, **340**
de Almeida-Filho N *see* Barreto ML *et al*
Dedman DJ *et al.* Childhood housing conditions and later mortality in the Boyd Orr cohort, **10**
Deeks JJ *see* Hawton K *et al*
Defesche JC *see* ten Asbroek AHA *et al*
de Irala-Estevez J *see* Delgado-Rodriguez M *et al*
Delgado-Rodríguez M *see* Prieto MD *et al*
Delgado-Rodríguez M. Glossary on meta-analysis, **534**
Delgado-Rodríguez M *et al.* Participation of epidemiologists and/or biostatisticians and methodological quality of published controlled clinical trials, **569**
Demissie K *see* Wen SW *et al*
Dent R *see* Wilson K *et al*
Der G *et al.* Absolute income and life expectancy: *letter*, **151**
D'Este K *see* Heller RF *et al*
Devlin N *see* Robertson MC *et al*
Dewey M *see* Kendrick D *et al*
Deyo RA *see* Dionne CE *et al*
Diamond A *see* Hillsdon M *et al*
Diamond I *see* Barnett S *et al*
Dickinson HO *et al.* How complete and accurate are cancer registrations notified by the National Health Service Central Register for England and Wales?, **414**
Diderichsen F *see* Åberg Yngwe Met al
Dieppe P *see* Campbell R *et al*
see Gunnell D *et al*
Dion R *see* Allard R *et al*
Dionne CE *et al.* Formal education and back pain: a review, **455**
Djuretic T *see* Bellis MA *et al*
Domínguez A *see* Salleras L *et al*
Donaldson LJ. The first 500 days: renewal, reform, reflection: *editorial*, **371**
Donmall M *see* Millar T *et al*
Donovan JL *see* Campbell R *et al*
Dorling D *see* Davey Smith D *et al*
see Davey Smith D *et al*
Douglas M, Scott-Samuel A. Addressing health inequalities in health impact assessment: *editorial*, **450**
Droomers M *et al.* Educational level and decreases in leisure time physical activity: predictors from the longitudinal GLOBE study, **562**
Drope J, Chapman S. Tobacco industry efforts at discrediting scientific knowledge of environmental tobacco smoke: a review of internal industry documents, **588**
Due P *see* Der G *et al*
Duffell E. Attitudes of parents towards measles and immunisation after a measles outbreak in an anthroposophical community, **685**
Duhl L. Response to crisis: *editorial*, **850**
The essence of community, **690**
The future, complexity, death and surprise: *editorial*, **218**

Ebrahim S *see* Bowling A and Ebrahim S
Eckert T. Prevention of diarrhoea: *editorial*, **529**
Eisner MD *see* Iribarren C *et al*
Ellaway A *see* Macintyre S *et al*
Ellaway A, Macintyre S. Contrasts in service provision: *editorial*, **769**
Elliott P *see* Pryer JA *et al*
Ellsberg MC *et al.* Women's strategic responses to violence in Nicaragua, **547**
Elosua R *see* Marrugat J *et al*
Elwood P *see* Fallon UB *et al*
see Davey Smith G *et al*
Elwood P. Milk, coronary disease and mortality: *editorial*, **375**
The first, worst, and most successful clinical trial of Archie Cochrane: *editorial*, **369**
Emslie C *et al.* Perceptions of body image among working men and women, **406**
Engberg AW *see* Teasdale TW and Engberg AW
Escolar A *see* López-Abente G and Escolar A
Etter J-F, Perneger TV. Measurement of self reported active exposure to cigarette smoke, **674**
Evans M *see* Campbell R *et al*
Evans MR *see* Richardson G *et al*

Fairley CK *see* Hellard ME *et al*
Fallon UB *et al.* Homocysteine and ischaemic stroke in men: the Caerphilly study, **91**
Fernandez E *et al.* Widening social inequalities in smoking cessation in Spain, 1987–1997, **729**
Feron FJM *see* Kalff AC *et al*
Ferrie J *see* Bartley M and Ferrie J
Figueiras A *see* Saez M *et al*
Flahault A *see* Hanslik T *et al*
Fleerackers Y *see* Ajdacic-Gross V *et al*
Fletcher A *see* Sibai AM *et al*
Fletcher L *see* Plugge E *et al*
Forbes AB *see* Hellard ME *et al*
Forrester TE *see* Walker SP *et al*
Fox R *see* Taylor A *et al*
Frankel S *see* Dedman DJ *et al*
Fredlund P *see* Burström B and Fredlund P
Friedman GD *see* Iribarren C *et al*
Friestad C *see* Lien N *et al*
Frohlich N *et al.* Assessing socioeconomic effects on different sized populations: To weight or not to weight?, **913**

Gallagher AM *see* Murray LJ *et al*
Gañán LD *see* Guallar-Castillón P *et al*
García M *see* Fernandez E *et al*
García-Algar O *see* Pichini S *et al*
García-Algar O *et al.* Neonatal nicotine withdrawal syndrome: *letter*, **687**
García Rodríguez LA *see* Huerta C and García Rodríguez LA
Gardner MM *see* Robertson MC *et al*
Gaskin P *see* Walker SP *et al*
Gemmell I. Indoor heating, house conditions, and health, **928**
Gil M *see* Marrugat J *et al*
Gill LE *see* Kurina LM *et al*
Gillies AJ *see* Burton A *et al*
Gjessing HK *see* Magnus P *et al*
Glassroth J *see* Poole WK *et al*
Goldacre MJ *see* Kurina LM *et al*
see Maric RN *et al*
Goldacre MJ *et al.* Abortion and breast cancer: a case-control record linkage study, **336**
Goldberg D *see* Taylor A *et al*
Goldberg M *see* Goldberg P *et al*
Goldberg P *et al.* Longitudinal study of associations between perceived health status and self reported diseases in the French Gazel cohort, **233**
Gollub E *see* Culhane DP *et al*
Gostautas A *see* Pikhart H *et al*
Grantham-McGregor S *see* Walker SP *et al*
Grech V *see* James WH and Grech V
see James WH and Grech V

Grech V *et al.* Gender differences in seasonality of acute myocardial infarction admissions and mortality in a population-based study, **147**
Greenwood R *see* Fallon UB *et al*
see Davey Smith G *et al*
Griffith J *see* Wardle J and Griffith J
Grize L *see* Kahlmeier S *et al*
Grundy E, Holt G. The socioeconomic status of older adults: How should we measure it in studies of health inequalities?, **895**
Guallar-Castillón P *et al.* Consumption of alcoholic beverages and subjective health in Spain, **648**
Guéguen A *see* Goldberg P *et al*
Guizard A-V *et al.* The incidence of childhood leukaemia around the La Hague nuclear waste reprocessing plant (France): a survey for the years 1978–1998, **469**
Gunnell D *see* Dedman DJ *et al*
see Davey Smith G *et al*
see Davey Smith G *et al*
Gunnell D *et al.* Height and health: predicting longevity from bone length in archaeological remains, **505**
Gunning-Schepers LJ *see* ten Asbroek AHA *et al*
see Marang-van de Mheen PJ *et al*
see van Herten LM *et al*
Gupta JK *see* Clark TJ *et al*

Hagberg O *see* Merlo J *et al*
Hämäläinen J *et al.* Cigarette smoking, alcohol intoxication and major depressive episode in a representative population sample, **573**
Hanley JA. A heuristic approach to the formulas for population attributable fraction, **508**
Hanslik T *et al.* Setting up a specific surveillance system of community health during mass gatherings, **683**
Hart C *see* Macleod J *et al*
see Metcalfe C *et al*
see Ness AR *et al*
Hart CL *see* McCarron P *et al*
Hart CL *et al.* The relation between questions indicating transient ischaemic attack and stroke in 20 years of follow up in men and women in the Renfrew/Paisley Study, **653**
Hasselberg M *et al.* Socioeconomic differences in road traffic injuries during childhood and youth: a closer look at different kinds of road user, **858**
Hawton K *et al.* Suicide in doctors: a study of risk according to gender, seniority and specialty in medical practitioners in England and Wales, 1979–1995, **296**
Heikkinen M *see* Hämäläinen J *et al*
Heistaro S *et al.* Self rated health and mortality: a long term prospective study in eastern Finland, **227**
Heitmann BL *see* Osler M *et al*
Hellard ME *et al.* Methods used to maintain a high level of participant involvement in a clinical trial, **348**
Heller RF *et al.* Trends in the hospital management of unstable angina, **483**
Hemingway H *see* Marmot M *et al*
Hendriksen JGM *see* Kalff AC *et al*
Hernandez-Aguado I *see* Alvarez-Dardet C and Hernandez-Aguado I
see Ashton J and Hernandez-Aguado I
Hernandez-Aguado I. Neocolonialism and epidemiology: *editorial*, **153**
Hernandez-Aguado I, Alvarez-Dardet C. Globalisation and health: action now!: *editorial*, **609**
More opportunities for your opinions: The *JECH* speaker's corner: *editorial*, **217**
Heslop P *see* Macleod J *et al*
see Metcalfe C *et al*
Hess J *see* Juttmann RE *et al*
Hills M *see* Sibai AM *et al*
Hillsdon M *et al.* National level promotion of physical activity: results from England's *ACTIVE* for LIFE campaign, **755**
Hiscock R *see* Macintyre S *et al*
Hoffmann B *see* Laaser U *et al*
Høidrup S *see* Osler M *et al*
Hole D *see* McCarron P *et al*
Hole DJ *see* Hart CL *et al*
see Thomson CS *et al*
Holland P *see* Åberg Yngwe M*et al*
Holt G *see* Grundy E and Holt G
Hopewell PC *see* Poole WK *et al*
Hotz S *see* Wilson K *et al*
Huerta C, García Rodríguez LA. Incidence of ocular melanoma in the general population and in glaucoma patients, **338**
Huertas R *see* Perdiguero E *et al*
Hunt K *see* Emslie C *et al*
Hutchinson S *see* Taylor A *et al*

Immonen-Räihä P *see* Salomaa V *et al*
Iribarren C *et al.* Exposure to environmental tobacco smoke: association with personal characteristics and self reported health conditions, **721**
Isometsä E *see* Hämäläinen J *et al*

James WH, Grech V. Sex ratio at birth and latitude: *letter*, **216**
Sex ratio at birth, latitude, hormones, and temperature: *letter*, **848**
Jariod M *see* Karhausen LR *et al*
Jefferson EBT. A basic glossary of vaccinology, **294**
Jenner DA *see* Silcocks PBS *et al*
Johansson B *see* Quirk JT *et al*
Johansson S-E *see* Bayard-Burfield L *et al*
Johnson Z *see* O'Reilly D *et al*
Jolles J *see* Kalff AC *et al*
Jørgensen LM *see* Osler M *et al*
Jousilahti P *see* Heistaro S *et al*
Juanes JA *see* Prieto MD *et al*
Juttmann RE *et al.* Patient follow up screening evaluations. Examples with regard to congenital hip dislocation and congenital heart disease, **126**

Kaarsalo E *see* Salomaa V *et al*
Kahlmeier S *et al.* Perceived environmental housing quality and wellbeing of movers, **708**
Kalff AC *et al.* Neighbourhood level and individual level SES effects on child problem behaviour: a multilevel analysis, **246**
Kannas L *see* Rütten A *et al*
Kapoor SK *et al.* Performance of surrogate markers of low birth weight at community level in rural India, **366**
Kaprio J *see* Hämäläinen J *et al*
Karhausen LR *et al.* Exposures, mutations and the history of causality: *letter*, **607**
Kastelein JJP *see* ten Asbroek AHA *et al*
Kawachi I *see* Blakely TA and Kawachi I
Kawashimo H *see* Nakanishi N *et al*
Kearns A *see* Macintyre S *et al*
Kelly A *see* O'Reilly D *et al*
Kendrick D *et al.* Does sending a home safety questionnaire increase recruitment to an injury prevention trial? A randomised controlled trial, **845**
Kesmodel U, Olsen SF. Self reported alcohol intake in pregnancy: comparison between four methods, **738**
Ketonen M *see* Salomaa V *et al*
Khan KS *see* Clark TJ *et al*
Khaw K-T *see* Sandhu MS *et al*
Kickbusch I. A note to Bill Gates: *editorial*, **153**
Kivimäki M *see* Kapoor SK *et al*
Klabunde C *et al.* Quality assurance for screening mammography: an international comparison, **204**
Klatsky AL *see* Iribarren C *et al*
Klepp K-I *see* Lien N *et al*
Klutke P *see* Borrell C *et al*
Koelen MA *et al.* Health promotion research: dilemmas and challenges, **257**
Koepsell TD *see* Dionne CE *et al*
Kogevinas M *see* Ribas-Fitó N *et al*
Koivisto A-M *see* Virtanen P and Koivisto A-M
Kollslid R *see* Olsen SF *et al*
Koskinen S *see* Salomaa V *et al*
Krieger N. A glossary for social epidemiology, **693**
Kroes M *see* Kalff AC *et al*
Kuhn R *see* Culhane DP *et al*
Kumar G *see* Kapoor SK *et al*
Kurina LM *see* Goldacre MJ *et al*
Kurina LM *et al.* Depression and anxiety in people with inflammatory bowel disease, **716**
Kuulasmaa K *see* Salomaa V *et al*
Kvale P *see* Poole WK *et al*
Kyshegyi J *see* Pikhart H *et al*

La Parra D, Alvarez-Dardet C. The new UK health inequalities targets: *editorial*, **289**
Laaser U *et al.* Can a decline in the population means of cardiovascular risk factors reduce the number of people at risk?, **179**
Labonte R. Liberalisation, health and the World Trade Organisation: *editorial*, **620**
Laflamme L *see* Hasselberg M *et al*
Lahelma E *see* Heistaro S *et al*
Lam TP. Strengths and weaknesses of traditional Chinese medicine and Western medicine in the eyes of some Hong Kong Chinese, **762**
Lang T. Public health and colonialism: a new or old problem?: *editorial*, **162**
Lasch KE *see* Rodriguez E *et al*
Launoy G *see* Guizard A-V *et al*
Lawlor D. Water, tobacco, and global inequalities: *editorial*, **852**
Lee J *see* Rodriguez E *et al*
Lee K. A dialogue of the deaf? The health impacts of globalisation: *editorial*, **619**
Lehto S *see* Salomaa V *et al*
Liedholm H *see* Merlo J *et al*
Lien N *et al.* Adolescents' proxy reports of parents' socioeconomic status: How valid are they?, **731**
Lim LL *see* Heller RF *et al*
Lindeman S *see* Hämäläinen J *et al*
Lindgren A *see* Merlo J *et al*

Lindström K *see* Lingfors H *et al*
Lindström M *see* Merlo J *et al*
Lindström M *et al.* Ethnic differences in self reported health in Malmö in southern Sweden, **97**
Lingfors H *et al.* Evaluation of "Live for Life", a health promotion programme in the County of Skaraborg, Sweden, **277**
Lissner L *see* Lingfors H *et al*
Llorca J *see* Delgado-Rodriguez M *et al*
see Prieto MD *et al*
Looman CWN *see* Mackenbach JP *et al*
Lopez B *see* Prieto MD *et al*
López-Abente G, Escolar A. Tobacco consumption and bladder cancer in non-coffee drinkers, **68**
Lou Y *see* Poole WK *et al*
Luben R *see* Sandhu MS *et al*
Lui K-J. Interval estimation of the attributable risk in case-control control studies with matched pairs, **885**
Luschen G *see* Rütten A *et al*
Lynch J *see* Der G *et al*

Macarthur I. Ensuring shelter in Eastern Europe: *editorial*, **2**
McCarron P *see* Davey Smith G *et al*
McCarron P *et al.* Smoking in adolescence and young adulthood and mortality in later life: prospective observational study, **334**
The relation between adult height and haemorrhagic and ischaemic stroke in the Renfrew/Paisley study, **404**
McCarthy M. A mayor for London: *editorial*, **770**
McClearn GE *see* Quirk JT *et al*
McCulloch A. Teenage childbearing in Great Britain and the spatial concentration of poverty households, **16**
McEwen J *see* McCarron P *et al*
see Davey Smith G *et al*
McGue M *see* Christensen K *et al*
Macintyre S *see* Ellaway A and Macintyre S
see Emslie C *et al*
Macintyre S *et al.* Housing tenure and car access: further exploration of the nature of their relations with health in a UK setting, **330**
Mackenbach JP *see* Droomers M *et al*
Mackenbach JP *et al.* Determinants of levels and changes of physical functioning in chronically ill persons: results from the GLOBE Study, **631**
McKeown RE *see* Weed DL and McKeown RE
Macleod J *see* Metcalfe C *et al*
Macleod J *et al.* Are the effects of psychosocial exposures attributable to confounding? Evidence from a prospective observational study on psychological stress and mortality, **878**
McPherson K *see* Britton A and McPherson K
McQueen DV *see* Choi BCK *et al*
Magnus P *et al.* Paternal contribution to birth weight, **873**
Mähönen M *see* Salomaa V *et al*
Malats N *see* Karhausen LR *et al*
Malcolm A *see* Dickinson HO *et al*
Mamoon HA *see* Taylor RJ *et al*
Marang-van de Mheen PJ *see* ten Asbroek AHA *et al*
Marang-van de Mheen PJ *et al.* Decline of the relative risk of death associated with low employment grade at older age: the impact of age related differences in smoking, blood pressure and plasma cholesterol, **24**
Maric RN *et al.* Olive oil and colorectal cancer: *letter*, **448**
Marmot M *see* Pikhart H *et al*
see Pryer JA *et al*
Marmot M *et al.* Relative contribution of early life and adult socioeconomic factors to adult morbidity in the Whitehall II study, **301**
Marmot MG *see* Marang-van de Mheen PJ *et al*
Marrugat J *et al.* Role of age and sex in short-term and long term mortality after a first Q wave myocardial infarction, **487**
Marshall T *et al.* Use of health services by prison inmates: comparisons with the community, **364**
Martelin T *see* Martikainen P *et al*
Martikainen P *et al.* Change in male and female life expectancy by social class: decomposition by age and cause of death in Finland 1971–95, **494**
Martin D *see* Barnett S *et al*
Martinez-Gonzalez A *see* Delgado-Rodriguez M *et al*
Masiá R *see* Marrugat J *et al*
Melander A *see* Merlo J *et al*
Méndez C *see* Garcia-Algar Ó *et al*
Merlo J *et al.* Diastolic blood pressure and area of residence: multilevel versus ecological analysis of social inequity, **791**
Survival after initial hospitalisation for heart failure: a multilevel analysis of patients in Swedish acute care hospitals, **323**
Merrill RM. Partitioned prostate cancer prevalence estimates: an informative measure of the disease burden, **191**
Metcalfe C *see* Macleod J *et al*
Metcalfe C *et al.* Individual employment histories and subsequent cause specific hospital admissions and mortality: a prospective study of a cohort of male and female workers with 21 years follow up, **503**
Miettinen H *see* Salomaa V *et al*
Milio N. Dealing with terrorism: a public health agenda: *editorial*, **849**
Glossary: healthy public policy, **622**
The internet, public health, and the globalisation of just about everything: *editorial*, **74**
Millar T *see* Bellis MA *et al*
Millar T *et al.* The dynamics of heroin use; implications for intervention, **930**
Moncada RO, Alvarez-Dardet C. The confused Milky Way: *editorial*, **369**
Moncada S *see* Kapoor SK *et al*
Mooney G. Revenge is not the answer; leadership could be: *editorial*, **850**
Morrell SL *see* Taylor RJ *et al*
Morrison DS *et al.* Health Impact Assessment—and beyond: *editorial*, **219**
Mowat D *see* Choi BCK and Mowat D
Mucci LA, Brooks DR. Lower use of dental services among long term cigarette smokers, **389**
Muñoz P *see* Salleras L *et al*
Muntaner C *see* Der G *et al*
Murray L *see* van Lenthe FJ *et al*
Murray LJ *et al.* Sex specific difference in the relation between birth weight and arterial compliance in young adults: The Young Hearts Project, **665**
Mustaniemi H *see* Salomaa V *et al*

Nagano K *see* Nakanishi N *et al*
Naik PC *see* Brownell LW and Naik PC
Nakache J-P *see* Goldberg P *et al*
Nakamura K *see* Nakanishi N *et al*
see Takano T and Nakamura K
see Takano T and Nakamura K
Nakanishi N *et al.* Long working hours and risk for hypertension in Japanese male white collar workers, **316**
Nanchahal K *see* Hillsdon M *et al*
Neal RD. The many causes of human despair, La Ramblas, Barcelona: *editorial*, **451**
Neeleman J *et al.* Ethnic density and deliberate self harm; a small area study in south east London, **85**
Ness AR *et al.* Milk, coronary heart disease and mortality, **379**
Neuberger J. Where's the evidence?—Making the case for public health: *editorial*, **77**
Nichols R *see* Pryer JA *et al*
Niemelä M *see* Salomaa V *et al*
Nilsson S *et al.* Mortality among male and female smokers in Sweden: a 33 year follow up, **825**
Nusselder WJ *see* Mackenbach JP *et al*

Ocaña R *see* Saez M *et al*
O'Connell RL *see* Heller RF *et al*
Okasha M *see* McCarron P *et al*
see Davey Smith G *et al*
Olsen SF *see* Kesmodel U and Olsen SF
Olsen SF *et al.* High birth weights in prewar Faroe Islands, **215**
O'Reilly D *et al.* Are cities becoming more unhealthy? An analysis of mortality rates in Belfast and Dublin between 1981 and 1991 to illustrate a methodological difficulty with ecological studies, **354**
Osler M *et al.* Food intake patterns, self rated health and mortality in Danish men and women. A prospective observational study, **399**
Östergren P-O *see* Lindström M *et al*
see Merlo J *et al*
see Merlo J *et al*

Pace J *see* Grech V *et al*
Pacifici R *see* Garcia-Algar Ó *et al*
see Pichini S *et al*
Pajak A *see* Pikhart H *et al*
Palomäki P *see* Salomaa V *et al*
Pandav CS *see* Kapoor SK *et al*
Parascandola M, Weed DL. Causation in epidemiology, **905**
Parker L *see* Dickinson HO *et al*
Parron I *see* Salleras L *et al*
Pasarín MI *see* Borrell C *et al*
Pasarin MI *see* Benach J *et al*
Pascual E. San Carlos, **689**
Patel S *et al.* Mismatch between perceived and actual overweight in diabetic and non-diabetic populations: a comparative study of South Asian and European women, **332**
Pearl M *see* Pickett KE and Pearl M
see Reijneveld SA *et al*
Peña R *see* Ellsberg MC *et al*
Perdiguero E *et al.* History of health, a valuable tool in public health, **667**
Pérez-Hoyos S *see* Ballester F *et al*
see Saez M *et al*
Perneger TV *see* Chamot E and Perneger TV
see Etter J-F and Perneger TV
Perritt R *see* Poole WK *et al*
Pershagen G *see* Nilsson S *et al*
Persson L-G *see* Lingfors H *et al*
Petticrew M *see* Morrison DS *et al*
Pheby D *see* Guizard A-V *et al*

Picavet HSJ. National health surveys by mail or home interview: effects on response, **408**
Pichini S *see* Garcia-Algar Ò *et al*
Pichini S *et al.* Fetal exposure to tobacco smoke is common: *letter*, **936**
Pickett KE *see* Reijneveld SA *et al*
Pickett KE, Pearl M. Multilevel analyses of neighbourhood socioeconomic context and health outcomes: a critical review, **111**
Pikhart H *et al.* Psychosocial work characteristics and self rated health in four post-communist countries, **624**
Pipitone E *see* Borrell C *et al*
Plasència A *see* Borrell C *et al*
Plasència A, Borrell C. Reducing socioeconomic inequalities in road traffic injuries: time for a policy agenda: *editorial*, **853**
Plugge E *et al.* Risk of injury and the consumption of different types of beverage: Is there an association?, **789**
Poikolainen K *see* Hämäläinen J *et al*
Pollard TM, Carroll D. Measuring demographic group differences in cardiovascular reactivity to stress using a mental challenge in the laboratory: problems of interpretation: *letter*, **288**
Poole C. Nationalism, international public health assistance, and epidemiologic transitions: *editorial*, **156**
Poole WK *et al.* A characterisation of patient drop outs in a cohort of HIV positive homosexual/bisexual men and intravenous drug users, **66**
Porta M *see* Karhausen LR *et al*
Pottier D *see* Guizard A-V *et al*
Potvin L *see* Frohlich N *et al*
Powell CA *see* Walker SP *et al*
Powell H *see* Heller RF *et al*
Prats G *see* Salleras L *et al*
Preisser JS *see* Arcury TA *et al*
Prieto MD *et al.* Recreation in coastal waters: health risks associated with bathing in sea water, **442**
Pryer JA *et al.* Dietary patterns among a national random sample of British adults, **29**
Puig C *see* Garcia-Algar Ò *et al*
see Pichini S *et al*
Puska P *see* Heistaro S *et al*
see Salomaa V *et al*
Pyörälä K *see* Salomaa V *et al*

Quandt SA *see* Arcury TA *et al*
Quilty B *see* Campbell R *et al*
Quirk JT *et al.* Modelling blood pressure as a continuous outcome variable in a co-twin control study, **746**

Rasmussen RW *see* Olsen SF *et al*
Råstam L *see* Merlo J *et al*
Ravelli ACJ *see* Stronks K *et al*
Reichman L *see* Poole WK *et al*
Reid MM *see* Dickinson HO *et al*
Reijneveld SA *see* Stronks K *et al*
see van Herten LM *et al*
Reijneveld SA *et al.* Explanations for differences in health outcomes between neighbourhoods of varying socioeconomic level: *letter*, **847**
Revilla JA *see* Prieto MD *et al*
Reza R *see* Silcocks PBS *et al*
Rhoads GG *see* Wen SW *et al*
Ribas-Fitó N *et al.* Polychlorinated biphenyls (PCBs) and neurological development in children: a systematic review, **537**
Richardson G *et al.* Hepatitis B immunisation of household contacts: retrospective study of vaccine coverage, **934**
Ringbäck Weitoft G *see* Hasselberg M *et al*
Robertson MC *et al.* Economic evaluation of a community based exercise programme to prevent falls, **600**
Roderick P *see* Barnett S *et al*
Rodríguez-Artalejo F *see* Guallar-Castillón P *et al*
Rodríguez Diaz JA *see* Rütten A *et al*
Rodríguez-Ocaña E *see* Perdiguero E *et al*
Rodriguez E. How do women cope with family violence? Moving ahead in our understanding of international issues: *editorial*, **531**
Rodriguez E *et al.* Family violence, employment status, welfare benefits, and alcohol drinking in the United States: what is the relation?, **172**
Rogers J *see* Gunnell D *et al*
Rosen M *see* Poole WK *et al*
Ruiz L *see* Karhausen LR *et al*
Ruiz MT *see* Alvarez-Dardet C and Ruiz MT
Ruiz-Canela M *see* Delgado-Rodriguez M *et al*
Rutten A *et al.* Self reported physical activity, public health, and perceived environment: results from a comparative European study, **139**
Rywik S *see* Pikhart H *et al*

Sáez M *see* Benach J *et al*
Saez M *et al.* Comparing meta-analysis and ecological-longitudinal analysis in time-series studies. A case study of the effects of air pollution on mortality in three Spanish cities, **423**
Sakarovitch C *see* Hawton K *et al*
Sala J *see* Marrugat J *et al*
Sala M *see* Ribas-Fitó N *et al*
Salleras L *et al.* Dramatic decline of serogroup C meningococcal disease incidence in Catalonia (Spain) 24 months after a mass vaccination programme of children and young people, **283**
Salomaa V *et al.* Relation of socioeconomic position to the case fatality, prognosis and treatment of myocardial infarction events; the FINMONICA MI Register Study, **475**
Salotti JA *see* Dickinson HO *et al*
Sandhu MS *et al.* Self reported non-insulin dependent diabetes, family history, and risk of prevalent colorectal cancer: population based, cross sectional study, **804**
Savage M *see* Murray LJ *et al*
Savage MJ *see* van Lenthe FJ *et al*
Scharpantgen A *see* Klabunde C *et al*
Schiaffino A *see* Fernandez E *et al*
Schindler C *see* Kahlmeier S *et al*
Schmaus A *see* Goldberg P *et al*
Schrijvers CTM *see* Droomers M *et al*
see Mackenbach JP *et al*
Schroll M *see* Osler M *et al*
Scott-Samuel A *see* Douglas M and Scott-Samuel A
Scuffham P *see* Robertson MC *et al*
Seagroatt V *see* Goldacre MJ *et al*
see Maric RN *et al*
Shah KB *see* Poole WK *et al*
Shaw M *see* Davey Smith G *et al*
Shaw M. Health and housing: a lasting relationship: *editorial*, **291**
Shipley M *see* Marmot M *et al*
Shipley MJ *see* Marang-van de Mheen PJ *et al*
Shpaner M *see* Culhane DP *et al*
Sibai AM *et al.* Non-communicable disease mortality rates using the verbal autopsy in a cohort of middle aged and older populations in Beirut during wartime, 1983–93, **271**
Siegrist J *see* Pikhart H *et al*
Silcocks PBS *et al.* Life expectancy as a summary of mortality in a population: statistical considerations and suitability for use by health authorities, **38**
Simkin S *see* Hawton K *et al*
Simpson S *see* Marshall T *et al*
Sinclair MI *see* Hellard ME *et al*
Skjærven R *see* Magnus P *et al*
Skodova Z *see* Pikhart H *et al*
Skrondal A *see* Magnus P *et al*
Slama R *see* Guizard A-V *et al*
Sobolev B *et al.* Potential for bias in waiting time studies: events between enrolment and admission, **891**
Somaini B *see* Ajdacic-Gross V *et al*
Spencer N. The life course, childhood housing conditions and adult health: *editorial*, **6**
The social patterning of teenage pregnancy: *editorial*, **5**
Spira A *see* Guizard A-V *et al*
Starfield B. Basic concepts in population health and health care, **452**
St Leger S. The anomaly that finally went away?: *editorial*, **79**
Stenlund H *see* Ellsberg MC *et al*
Sterne JAC *see* Metcalfe C *et al*
Stevens A *see* Marshall T *et al*
Stewart-Brown S *see* Plugge E *et al*
Steyaert J *see* Kalff AC *et al*
Stockford D *see* Chapman G *et al*
Stoneham M *see* Maric RN *et al*
Stovring H *see* Christensen K *et al*
Stronks K *et al.* Immigrants in the Netherlands: Equal access for equal needs?, **701**
Sundquist J *see* Bayard-Burfield L *et al*
see Lindström M *et al*
Sundquist J. Migration, equality and access to health care services: *editorial*, **691**
Sunyer J *see* Pichini S *et al*
see Ribas-Fitó N *et al*
Susser M. Glossary: causality in public health science, **376**
Sweetnam P *see* Davey Smith G *et al*

Takano T, Nakamura K. An analysis of health levels and various indicators of urban environments for Healthy Cities projects, **263**
The national financial adjustment policy and the equalisation of health levels among prefectures, **748**
Taplin S *see* Klabunde C *et al*
Tatara K *see* Nakanishi N *et al*
Taylor A *see* Bellis MA *et al*
Taylor A *et al.* High risk injecting behaviour among injectors from Glasgow: cross sectional community wide surveys 1990–1999, **766**
Taylor RJ *et al.* Effects of screening on cervical cancer incidence and mortality in New South Wales implied by influences of period of diagnosis and birth cohort, **782**
Teasdale TW, Engberg AW. Suicide after a stroke: a population study, **863**
ten Asbroek AHA *et al.* Results from a family and DNA based active identification programme for familial hypercholesterolaemia, **500**
Tenías JM *see* Ballester F *et al*
Thakrar B *see* Pryer JA *et al*

Thomson CS *et al.* Prognostic factors in women with breast cancer: distribution by socioeconomic status and effect on differences in survival, **308**
Thomson H *see* Morrison DS *et al*
Thomson R *see* Bellis MA *et al*
Tobias A *see* Saez M *et al*
Torppa J *see* Salomaa V *et al*
Torres A. A glance at child health: *editorial*, **610**
Tremblay M *see* Allard R *et al*
Troop P. Implementing public health at the national level: *editorial*, **772**
Troussard X *see* Guizard A-V *et al*
Tucker M *see* Campbell R *et al*
Tuomilehto J *see* Salomaa V *et al*
Turner J *see* Poole WK *et al*
Twelves CJ *see* Thomson CS *et al*
Twisk JWR *see* van Lenthe FJ *et al*

Ubbink JB *see* Fallon UB *et al*
Ullrich A *see* Laaser U *et al*
Unwin N *see* Patel S *et al*
Urdinguio PL *see* Guallar-Castillón P *et al*

Vaandrager L *see* Koelen MA *et al*
Vahtera J *see* Kapoor SK *et al*
Valkonen T *see* Martikainen P *et al*
Vall O *see* García-Algar Ó *et al*
see Pichini S *et al*
van Ameijden EJC, Coutinho RA. Large decline in injecting drug use in Amsterdam, 1986–1998: explanatory mechanisms and determinants of injecting transitions, **356**
van der Maas PJ *see* Juttmann RE *et al*
van der Zee J *see* Rütten A *et al*
van Herten LM *et al.* Rationalising chances of success in intersectoral health policy making, **342**
van Lenthe FJ *et al.* What determines drop out in prospective studies of coronary heart disease risk factors between youth and young adulthood: the Young Hearts Study, **681**
van Oortmarssen GJ *see* Juttmann RE *et al*
van Os J *see* Kalff AC *et al*
van Zeben TMCB *see* Kalff AC *et al*
Vartiainen E *see* Heistaro S *et al*
Vinck J *see* Rütten A *et al*
Vineis P *see* Karhausen LR *et al*
Virtanen P, Koivisto A-M. Wellbeing of professionals at entry into the labour market: a follow up survey of medicine and architecture students, **831**
Vles JSH *see* Kalff AC *et al*
Vogler GP *see* Quirk JT *et al*
von Korff M *see* Dionne CE *et al*
von Lengerke T *see* Rütten A *et al*
Vuorenmaa T *see* Salomaa V *et al*

Wain GV *see* Taylor RJ *et al*
Walker SP *et al.* The effects of birth weight and postnatal linear growth retardation on blood pressure at age 11–12 years, **394**
Wallace J *see* Poole WK *et al*
Wang J *see* Ajdacic-Gross V *et al*
Wardle J, Griffith J. Socioeconomic status and weight control practices in British adults, **185**
Watson J. Macho rhubarb: *letter*, **687**
Watson M *see* Kendrick D *et al*
Weed DL *see* Parascandola M and Weed DL
Weed DL. Methods in epidemiology and public health: does practice match theory?, **104**
Weed DL, McKeown RE. Ethics in epidemiology and public health I. Technical terms, **855**
Wen SW *et al.* Level of aggregation for optimal epidemiological analysis: the case of time to surgery and unnecessary removal of the normal appendix, **198**
Wessely S *see* Neeleman J *et al*
Westmoreland D *see* Richardson G *et al*
White IR *see* Hillsdon M *et al*
White M *see* Patel S *et al*
Whitehead M *see* Åberg Yngwe M *et al*
Whitley E *see* Davey Smith G *et al*
Wilkinson R *see* Der G *et al*
Williamson A. Getting our journals to developing countries: *editorial*, **530**
Wilson K *et al.* Impact of smoking status on weight loss and cardiovascular risk factors, **213**
Wilson S *see* Burton A *et al*
Wilson-Jones C *see* Neeleman J *et al*
Winkvist A *see* Ellsberg MC *et al*
Winters LY. A prospective health impact assessment of the international astronomy and space exploration centre, **433**
Wipfli H *see* Bettcher DW and Wipfli H
Witteman JCM *see* Marang-van de Mheen PJ *et al*
Woods AJ *see* Kendrick D *et al*

Yallop J *see* Patel S *et al*
Yarnell J *see* Davey Smith G *et al*
Yasui Y *see* Benach J *et al*
Yeates D *see* Goldacre MJ *et al*
see Kurina LM *et al*
Yoshida H *see* Nakanishi N *et al*
Young FW. An explanation of the persistent doctor-mortality association, **80**

Zellweger U *see* Ajdacic-Gross V *et al*
Zelt D *see* Sobolev B *et al*

VOLUME 55 • SUBJECT INDEX

abortion, Abortion and breast cancer: a case-control record linkage study, **336**
adolescents, Adolescents' proxy reports of parents' socioeconomic status: How valid are they?, **731**
Meeting the health needs of young people: *editorial*, **532**
aetiological fraction, A heuristic approach to the formulas for population attributable fraction, **508**
age-period-cohort modelling, Effects of screening on cervical cancer incidence and mortality in New South Wales implied by influences of period of diagnosis and birth cohort, **782**
AIDS, How complete is AIDS surveillance in Europe? An eagle eye comparison with mortality data, **52**
The completeness of AIDS surveillance in Europe: difficulties and new challenges: *editorial*, **7**
The co-occurrence of AIDS and homelessness: results from the integration of administrative databases for AIDS surveillance and public shelter utilisation in Philadelphia, **515**
Trends in young adult mortality in three European cities: Barcelona, Bologna and Munich, 1986–1995, **577**
air pollution, Air pollution and emergency hospital admissions for cardiovascular diseases in Valencia, Spain, **57**
Comparing meta-analysis and ecological-longitudinal analysis in time-series studies. A case study of the effects of air pollution on mortality in three Spanish cities, **423**
alcohol, Cigarette smoking, alcohol intoxication and major depressive episode in a representative population sample, **573**
Consumption of alcoholic beverages and subjective health in Spain, **648**
Risk of injury and the consumption of different types of beverage: Is there an association?, **789**
Self reported alcohol intake in pregnancy: comparison between four methods, **738**
alcohol consumption, Mortality in England and Wales attributable to current alcohol consumption, **383**
alcohol misuse, Family violence, employment status, welfare benefits, and alcohol drinking in the United States: what is the relation?, **172**
all cause mortality, Milk, coronary heart disease and mortality, **379**
anxiety, Depression and anxiety in people with inflammatory bowel disease, **716**
archeology, Height and health: predicting longevity from bone length in archaeological remains, **505**
Archie Cochrane, The first, worst, and most successful clinical trial of Archie Cochrane: *editorial*, **369**
arterial compliance, Sex specific difference in the relation between birth weight and arterial compliance in young adults: The Young Hearts Project, **665**
asbestos, Community health risk assessment after a fire with asbestos containing fallout, **921**
attributable risk, Interval estimation of the attributable risk in case-control control studies with matched pairs, **885**
attributable risk epidemiology, A heuristic approach to the formulas for population attributable fraction, **508**
audit, How complete and accurate are cancer registrations notified by the National Health Service Central Register for England and Wales?, **414**
authorship, Participation of epidemiologists and/or biostatisticians and methodological quality of published controlled clinical trials, **569**
automated database, Incidence of ocular melanoma in the general population and in glaucoma patients, **338**
average, What is the difference between controlling for mean versus median income in analyses of income inequality?, **352**

back pain, Formal education and back pain: a review, **455**
bathing beaches, Recreation in coastal waters: health risks associated with bathing in sea water, **442**
behaviour problems, Neighbourhood level and individual level SES effects on child problem behaviour: a multilevel analysis, **246**
between group comparisons, Potential for bias in waiting time studies: events between enrolment and admission, **891**
birth weight, Do genetic factors contribute to the association between birth weight and blood pressure?, **583**
High birth weights in prewar Faroe Islands, **215**
Paternal contribution to birth weight, **873**
Performance of surrogate markers of low birth weight at community level in rural India, **366**
Sex specific difference in the relation between birth weight and arterial compliance in young adults: The Young Hearts Project, **665**
The effects of birth weight and postnatal linear growth retardation on blood pressure at age 11–12 years, **394**
bladder neoplasms, Tobacco consumption and bladder cancer in non-coffee drinkers, **68**
blood pressure, Diastolic blood pressure and area of residence: multilevel versus ecological analysis of social inequity, **791**
Do genetic factors contribute to the association between birth weight and blood pressure?, **583**
Modelling blood pressure as a continuous outcome variable in a co-twin control study, **746**
The effects of birth weight and postnatal linear growth retardation on blood pressure at age 11–12 years, **394**
body image, Perceptions of body image among working men and women, **406**
bone length, Height and health: predicting longevity from bone length in archaeological remains, **505**
bottle feeding, A glance at child health: *editorial*, **610**
breast cancer, Abortion and breast cancer: a case-control record linkage study, **336**
Quality assurance for screening mammography: an international comparison, **204**

cancer registration, How complete and accurate are cancer registrations notified by the National Health Service Central Register for England and Wales?, **414**
car ownership, Housing tenure and car access: further exploration of the nature of their relations with health in a UK setting, **330**
cardiovascular disease, Air pollution and emergency hospital admissions for cardiovascular diseases in Valencia, Spain, **57**
Measuring demographic group differences in cardiovascular reactivity to stress using a mental challenge in the laboratory: problems of interpretation: *letter*, **288**
Milk, coronary heart disease and mortality, **379**
Non-communicable disease mortality rates using the verbal autopsy in a cohort of middle aged and older populations in Beirut during wartime, 1983–93, **271**
Social circumstances in childhood and cardiovascular disease mortality: prospective observational study of Glasgow University students, **340**
The discount rate in the economic evaluation of prevention: a thought experiment, **123**
cardiovascular risk factors, Can a decline in the population means of cardiovascular risk factors reduce the number of people at risk?, **179**
Impact of smoking status on weight loss and cardiovascular risk factors, **213**
case fatality, Relation of socioeconomic position to the case fatality, prognosis and treatment of myocardial infarction events; the FINMONICA MI Register Study, **475**
case-control study, A heuristic approach to the formulas for population attributable fraction, **508**
Interval estimation of the attributable risk in case-control control studies with matched pairs, **885**
causality, Causation in epidemiology, **905**
Exposures, mutations and the history of causality: *letter*, **607**
Glossary: causality in public health science, **376**
cause specific mortality, Material deprivation and leading causes of death by gender: evidence from a nationwide small area study, **239**
Mortality among male and female smokers in Sweden: a 33 year follow up, **825**
cervical cancer, Effects of screening on cervical cancer incidence and mortality in New South Wales implied by influences of period of diagnosis and birth cohort, **782**
Making the most of Pap tests: *editorial*, **774**
chief medical officer, The first 500 days: renewal, reform, reflection: *editorial*, **371**
childhood, The incidence of childhood leukaemia around the La Hague nuclear waste reprocessing plant (France): a survey for the years 1978–1998, **469**
Chinese medicine, Strengths and weaknesses of traditional Chinese medicine and Western medicine in the eyes of some Hong Kong Chinese, **762**
chronic conditions, Partitioned prostate cancer prevalence estimates: an informative measure of the disease burden, **191**
chronic illness, Determinants of levels and changes of physical functioning in chronically ill persons: results from the GLOBE Study, **631**
cigarette smoke, Fetal exposure to tobacco smoke is common: *letter*, **936**
cigarette smoking, Lower use of dental services among long term cigarette smokers, **389**
clinical trial, Methods used to maintain a high level of participant involvement in a clinical trial, **348**
clinical trials, Participation of epidemiologists and/or biostatisticians and methodological quality of published controlled clinical trials, **569**
cluster analysis, Dietary patterns among a national random sample of British adults, **29**
coffee drinking, Tobacco consumption and bladder cancer in non-coffee drinkers, **68**
cohort, Homocysteine and ischaemic stroke in men: the Caerphilly study, **91**

cohort studies, Large decline in injecting drug use in Amsterdam, 1986–1998: explanatory mechanisms and determinants of injecting transitions, **356**
colonialism, Epidemiology and (neo-)colonialism: *editorial,* **160**
Epidemiology is more than discourse: critical thoughts from Latin America: *editorial,* **158**
Public health and colonialism: a new or old problem?: *editorial,* **162**
colorectal cancer, Olive oil and colorectal cancer: *letter,* **448**
Self reported non-insulin dependent diabetes, family history, and risk of prevalent colorectal cancer: population based, cross sectional study, **804**
communication, More opportunities for your opinions: The *JECH* speaker's corner: *editorial,* **217**
community, The essence of community, **690**
completeness, How complete and accurate are cancer registrations notified by the National Health Service Central Register for England and Wales?, **414**
compliance, Why don't patients do their exercises? Understanding non-compliance with physiotherapy in patients with osteoarthritis of the knee, **132**
confounding, A heuristic approach to the formulas for population attributable fraction, **508**
What is the difference between controlling for mean versus median income in analyses of income inequality?, **352**
contextual analysis, Multilevel analyses of neighbourhood socioeconomic context and health outcomes: a critical review, **111**
cord blood, Fetal exposure to tobacco smoke is common: *letter,* **936**
coronary disease, Is it feasible to plan secondary care services for coronary heart disease rationally? A quantified modelling approach for a UK Health Authority, **521**
Milk, coronary disease and mortality: *editorial,* **375**
coronary heart disease, Leg length, insulin resistance, and coronary heart disease risk: The Caerphilly Study, **867**
Relative contribution of early life and adult socioeconomic factors to adult morbidity in the Whitehall II study, **301**
The confused Milky Way: *editorial,* **369**
cotinine, Measurement of self reported active exposure to cigarette smoke, **674**
co-twin study, Modelling blood pressure as a continuous outcome variable in a co-twin control study, **746**
counterfactual, Causation in epidemiology, **905**
Crohn's disease, Depression and anxiety in people with inflammatory bowel disease, **716**

death, The future, complexity, death and surprise: *editorial,* **218**
decision making, Misconceptions about efficacy of mammography screening: a public health dilemma, **799**
deliberate self harm, Ethnic density and deliberate self harm; a small area study in south east London, **85**
dental visits, Lower use of dental services among long term cigarette smokers, **389**
depression, Cigarette smoking, alcohol intoxication and major depressive episode in a representative population sample, **573**
Depression and anxiety in people with inflammatory bowel disease, **716**
deprivation indices, A multilevel analysis of the effects of rurality and social deprivation on premature limiting long term illness, **44**
diabetes, Mismatch between perceived and actual overweight in diabetic and non-diabetic populations: a comparative study of South Asian and European women, **332**
Self reported non-insulin dependent diabetes, family history, and risk of prevalent colorectal cancer: population based, cross sectional study, **804**
diarrhoea, Prevention of diarrhoea: *editorial,* **529**
diet, Dietary patterns among a national random sample of British adults, **29**
dietary pattern, Food intake patterns, self rated health and mortality in Danish men and women. A prospective observational study, **399**
differential mortality, Decline of the relative risk of death associated with low employment grade at older age: the impact of age related differences in smoking, blood pressure and plasma cholesterol, **24**
disadvantaged, Mégapoles Project: working on behalf of socially disadvantaged groups: *editorial,* **154**
discount rate, The discount rate in the economic evaluation of prevention: a thought experiment, **123**
discrimination, A glossary for social epidemiology, **693**
doctors, Suicide in doctors: a study of risk according to gender, seniority and specialty in medical practitioners in England and Wales, 1979–1995, **296**
drug misuse, High risk injecting behaviour among injectors from Glasgow: cross sectional community wide surveys 1990–1999, **766**
The dynamics of heroin use; implications for intervention, **930**
Unexplained illness and deaths among injecting drug users in England: a case control study using Regional Drug Misuse Databases, **843**
drug overdose, Trends in young adult mortality in three European cities: Barcelona, Bologna and Munich, 1986–1995, **577**

early life, Relative contribution of early life and adult socioeconomic factors to adult morbidity in the Whitehall II study, **301**
ecological bias, Diastolic blood pressure and area of residence: multilevel versus ecological analysis of social inequity, **791**
ecological fallacy, Level of aggregation for optimal epidemiological analysis: the case of time to surgery and unnecessary removal of the normal appendix, **198**
ecological study, Are cities becoming more unhealthy? An analysis of mortality rates in Belfast and Dublin between 1981 and 1991 to illustrate a methodological difficulty with ecological studies, **354**
ecosocial, A glossary for social epidemiology, **693**
educational status, Educational level and decreases in leisure time physical activity: predictors from the longitudinal GLOBE study, **562**
Formal education and back pain: a review, **455**
effect evaluation, Patient follow up screening evaluations. Examples with regard to congenital hip dislocation and congenital heart disease, **126**
effort-reward imbalance, Psychosocial work characteristics and self rated health in four post-communist countries, **624**
El Salvador, Epidemiology as discourse: the politics of development institutions in the epidemiological Profile of El Salvador, **164**
Nationalism, international public health assistance, and epidemiologic transitions: *editorial,* **156**
elderly people, Economic evaluation of a community based exercise programme to prevent falls, **600**
The socioeconomic status of older adults: How should we measure it in studies of health inequalities?, **895**
elective admission, Potential for bias in waiting time studies: events between enrolment and admission, **891**
employment history, Individual employment histories and subsequent cause specific hospital admissions and mortality: a prospective study of a cohort of male and female workers with 21 years follow up, **503**
employment insecurity, Wellbeing of professionals at entry into the labour market: a follow up survey of medicine and architecture students, **831**
employment status, Family violence, employment status, welfare benefits, and alcohol drinking in the United States: what is the relation?, **172**
environment, Perceived environmental housing quality and wellbeing of movers, **708**
Self reported physical activity, public health, and perceived environment: results from a comparative European study, **139**
environmental pollutants, Community health risk assessment after a fire with asbestos containing fallout, **921**
environmental tobacco smoke, Exposure to environmental tobacco smoke: association with personal characteristics and self reported health conditions, **721**
epidemic, The dynamics of heroin use; implications for intervention, **930**
epidemiological method, Level of aggregation for optimal epidemiological analysis: the case of time to surgery and unnecessary removal of the normal appendix, **198**
equality, Immigrants in the Netherlands: Equal access for equal needs?, **701**
Migration, equality and access to health care services: *editorial,* **691**
equity, Health, equity, justice and globalisation: some lessons from the People's Health Assembly, **613**
ethics, Ethics in epidemiology and public health I. Technical terms, **855**
ethnic density, Ethnic density and deliberate self harm; a small area study in south east London, **85**
ethnic minorities, Immigrants in the Netherlands: Equal access for equal needs?, **701**
Migration, equality and access to health care services: *editorial,* **691**
ethnicity, Ethnicity, self reported psychiatric illness, and intake of psychotropic drugs in five ethnic groups in Sweden, **657**
Europe, How complete is AIDS surveillance in Europe? An eagle eye comparison with mortality data, **52**
The completeness of AIDS surveillance in Europe: difficulties and new challenges: *editorial,* **7**
European Union, A widening horizon for European public health practice: *editorial,* **292**
evaluation, Evaluation of "Live for Life", a health promotion programme in the County of Skaraborg, Sweden, **277**
exercise, Economic evaluation of a community based exercise programme to prevent falls, **600**
National level promotion of physical activity: results from England's *ACTIVE* for LIFE campaign, **755**

falls, Economic evaluation of a community based exercise programme to prevent falls, **600**
familial hypercholesterolaemia, Results from a family and DNA based active identification programme for familial hypercholesterolaemia, **500**
family characteristics, Gender inequalities in health among workers: the relation with family demands, **639**
family history, Self reported non-insulin dependent diabetes, family history, and risk of prevalent colorectal cancer: population based, cross sectional study, **804**

family violence, Family violence, employment status, welfare benefits, and alcohol drinking in the United States: what is the relation?, **172**
farmworkers, Predictors of incidence and prevalence of green tobacco sickness among Latino farmworkers in North Carolina, USA, **818**
fetal exposure, Fetal exposure to tobacco smoke is common: *letter,* **936**
Finland, Self rated health and mortality: a long term prospective study in eastern Finland, **227**
fiscal adjustment policy, The national financial adjustment policy and the equalisation of health levels among prefectures, **748**
folic acid, Folic acid: Is self reported use of supplements accurate?, **841**
follow up studies, National level promotion of physical activity: results from England's *ACTIVE* for LIFE campaign, **755**
follow up study, Food intake patterns, self rated health and mortality in Danish men and women. A prospective observational study, **399**
Recreation in coastal waters: health risks associated with bathing in sea water, **442**

gender, A glossary for social epidemiology, **693**
general health questionnaire, Wellbeing of professionals at entry into the labour market: a follow up survey of medicine and architecture students, **831**
genes, Paternal contribution to birth weight, **873**
glaucoma, Incidence of ocular melanoma in the general population and in glaucoma patients, **338**
global health, A note to Bill Gates: *editorial,* **153**
global risk factors, The need for global risk factor surveillance: *editorial,* **370**
globalisation, A dialogue of the deaf? The health impacts of globalisation: *editorial,* **619**
Globalisation and health: action now!: *editorial,* **609**
Health, equity, justice and globalisation: some lessons from the People's Health Assembly, **613**
Liberalisation, health and the World Trade Organisation: *editorial,* **620**
The internet, public health, and the globalisation of just about everything: *editorial,* **74**
Water, tobacco, and global inequalities: *editorial,* **852**
glossary, Basic concepts in population health and health care, **452**
Glossaries in public health: older people, **223**
Glossary: causality in public health science, **376**
Glossary: healthy public policy, **622**
Glossary on meta-analysis, **534**
Glossary: unemployment, job insecurity, and health, **776**
globalisation, Towards a more sustainable globalisation: the role of the public health community: *editorial,* **617**
growth monitoring, A glance at child health: *editorial,* **610**

haemorrhagic stroke, The relation between adult height and haemorrhagic and ischaemic stroke in the Renfrew/Paisley study, **404**
health care, Basic concepts in population health and health care, **452**
Partitioned prostate cancer prevalence estimates: an informative measure of the disease burden, **191**
health care evaluation, Survival after initial hospitalisation for heart failure: a multilevel analysis of patients in Swedish acute care hospitals, **323**
health determinants, A prospective health impact assessment of the international astronomy and space exploration centre, **433**
An analysis of health levels and various indicators of urban environments for Healthy Cities projects, **263**
health development, A vision for public health development: *editorial,* **4**
health equity, Just imagine politicians working for health equity: *editorial,* **290**
health impact assessment, A prospective health impact assessment of the international astronomy and space exploration centre, **433**
Addressing health inequalities in health impact assessment: *editorial,* **450**
Health Impact Assessment—and beyond: *editorial,* **219**
health inequality, Addressing health inequalities in health impact assessment: *editorial,* **450**
Reducing socioeconomic inequalities in road traffic injuries: time for a policy agenda: *editorial,* **853**
Socioeconomic differences in road traffic injuries during childhood and youth: a closer look at different kinds of road user, **858**
The new UK health inequalities targets: *editorial,* **289**
The role of income differences in explaining social inequalities in self rated health in Sweden and Britain, **556**
The socioeconomic status of older adults: How should we measure it in studies of health inequalities?, **895**
What can doctors do to reduce health inequalities?: *editorial,* **449**
health planning, Is it feasible to plan secondary care services for coronary heart disease rationally? A quantified modelling approach for a UK Health Authority, **521**
health policy, Health Impact Assessment—and beyond: *editorial,* **219**
health promotion, National level promotion of physical activity: results from England's *ACTIVE* for LIFE campaign, **755**
Self reported physical activity, public health, and perceived environment: results from a comparative European study, **139**
health promotion research, Health promotion research: dilemmas and challenges, **257**
health risk assessment, Community health risk assessment after a fire with asbestos containing fallout, **921**
health scale, Longitudinal study of associations between perceived health status and self reported diseases in the French Gazel cohort, **233**
health sevices, Use of health services by prison inmates: comparisons with the community, **364**
health surveillance system, Setting up a specific surveillance system of community health during mass gatherings, **683**
Healthy Cities, An analysis of health levels and various indicators of urban environments for Healthy Cities projects, **263**
healthy public policy, Glossary: healthy public policy, **622**
heart failure, Role of age and sex in short-term and long term mortality after a first Q wave myocardial infarction, **487**
Survival after initial hospitalisation for heart failure: a multilevel analysis of patients in Swedish acute care hospitals, **323**
height, Height and health: predicting longevity from bone length in archaeological remains, **505**
The relation between adult height and haemorrhagic and ischaemic stroke in the Renfrew/Paisley study, **404**
hepatitis A, Hepatitis A vaccination during an outbreak among gay men in Montréal, Canada, 1995–1997, **251**
hepatitis B, Hepatitis B immunisation of household contacts: retrospective study of vaccine coverage, **934**
heroin, The dynamics of heroin use; implications for intervention, **930**
hierarchical analysis, Multilevel analyses of neighbourhood socioeconomic context and health outcomes: a critical review, **111**
history, History in the public health tool kit : *editorial,* **611**
History of health, a valuable tool in public health, **667**
HIV, A characterisation of patient drop outs in a cohort of HIV positive homosexual/bisexual men and intravenous drug users, **66**
homelessness, The co-occurrence of AIDS and homelessness: results from the integration of administrative databases for AIDS surveillance and public shelter utilisation in Philadelphia, **515**
homocyst(e)ine, Homocysteine and ischaemic stroke in men: the Caerphilly study, **91**
homosexuality, Hepatitis A vaccination during an outbreak among gay men in Montréal, Canada, 1995–1997, **251**
hospital admission, Air pollution and emergency hospital admissions for cardiovascular diseases in Valencia, Spain, **57**
Individual employment histories and subsequent cause specific hospital admissions and mortality: a prospective study of a cohort of male and female workers with 21 years follow up, **503**
household energy, Household energy, health and development: *editorial,* **221**
housing, Childhood housing conditions and later mortality in the Boyd Orr cohort, **10**
Ensuring shelter in Eastern Europe: *editorial,* **2**
Health and housing: a lasting relationship: *editorial,* **291**
Housing matters: *editorial,* **1**
The life course, childhood housing conditions and adult health: *editorial,* **6**
housing quality, Perceived environmental housing quality and wellbeing of movers, **708**
housing tenure, Housing tenure and car access: further exploration of the nature of their relations with health in a UK setting, **330**
hypertension, Long working hours and risk for hypertension in Japanese male white collar workers, **316**

immunisation, Attitudes of parents towards measles and immunisation after a measles outbreak in an anthroposophical community, **685**
Hepatitis A vaccination during an outbreak among gay men in Montréal, Canada, 1995–1997, **251**
incidence, Is it feasible to plan secondary care services for coronary heart disease rationally? A quantified modelling approach for a UK Health Authority, **521**
income, Absolute income and life expectancy: *letter,* **151**
The role of income differences in explaining social inequalities in self rated health in Sweden and Britain, **556**
What is the difference between controlling for mean versus median income in analyses of income inequality?, **352**
income inequality, What is the difference between controlling for mean versus median income in analyses of income inequality?, **352**
indicators, An analysis of health levels and various indicators of urban environments for Healthy Cities projects, **263**
individualised fallacy, Level of aggregation for optimal epidemiological analysis: the case of time to surgery and unnecessary removal of the normal appendix, **198**
indoor heating, Indoor heating, house conditions, and health, **928**
indoor pollution, A glance at child health: *editorial,* **610**
inequalities, Material deprivation and leading causes of death by gender: evidence from a nationwide small area study, **239**
inequality, Contrasts in service provision: *editorial,* **769**

infant mortality, Performance of surrogate markers of low birth weight at community level in rural India, **366**
inhalation exposure, Measurement of self reported active exposure to cigarette smoke, **674**
injecting behaviour, High risk injecting behaviour among injectors from Glasgow: cross sectional community wide surveys 1990–1999, **766**
injury, Reducing socioeconomic inequalities in road traffic injuries: time for a policy agenda: *editorial,* **853**
Risk of injury and the consumption of different types of beverage: Is there an association?, **789**
Socioeconomic differences in road traffic injuries during childhood and youth: a closer look at different kinds of road user, **858**
internet, Getting our journals to developing countries: *editorial,* **530**
The internet, public health, and the globalisation of just about everything: *editorial,* **74**
intersectoral health policy, Rationalising chances of success in intersectoral health policy making, **342**
interval estimation, Interval estimation of the attributable risk in case-control control studies with matched pairs, **885**
interview surveys, National health surveys by mail or home interview: effects on response, **408**
intravenous drug users, A characterisation of patient drop outs in a cohort of HIV positive homosexual/bisexual men and intravenous drug users, **66**
ischaemic heart disease, Evaluation of "Live for Life", a health promotion programme in the County of Skaraborg, Sweden, **277**
ischaemic stroke, Homocysteine and ischaemic stroke in men: the Caerphilly study, **91**
The relation between adult height and haemorrhagic and ischaemic stroke in the Renfrew/Paisley study, **404**

journal access, Getting our journals to developing countries: *editorial,* **530**

latitude, Sex ratio at birth and latitude: *letter,* **216**
leg length, Leg length, insulin resistance, and coronary heart disease risk: The Caerphilly Study, **867**
leukaemia, The incidence of childhood leukaemia around the La Hague nuclear waste reprocessing plant (France): a survey for the years 1978–1998, **469**
life expectancy, Absolute income and life expectancy: *letter,* **151**
Change in male and female life expectancy by social class: decomposition by age and cause of death in Finland 1971–95, **494**
Life expectancy as a summary of mortality in a population: statistical considerations and suitability for use by health authorities, **38**
Partitioned prostate cancer prevalence estimates: an informative measure of the disease burden, **191**
limiting long term illness, A multilevel analysis of the effects of rurality and social deprivation on premature limiting long term illness, **44**
linear growth retardation, The effects of birth weight and postnatal linear growth retardation on blood pressure at age 11–12 years, **394**
local area, Multilevel analyses of neighbourhood socioeconomic context and health outcomes: a critical review, **111**
London, A mayor for London: *editorial,* **770**
longitudinal study, Comparing meta-analysis and ecological-longitudinal analysis in time-series studies. A case study of the effects of air pollution on mortality in three Spanish cities, **423**
Long working hours and risk for hypertension in Japanese male white collar workers, **316**
lung cancer, Community health risk assessment after a fire with asbestos containing fallout, **921**

mail surveys, National health surveys by mail or home interview: effects on response, **408**
mammography screening, Misconceptions about efficacy of mammography screening: a public health dilemma, **799**
management, Trends in the hospital management of unstable angina, **483**
marginal model, Longitudinal study of associations between perceived health status and self reported diseases in the French Gazel cohort, **233**
mass campaign, Dramatic decline of serogroup C meningococcal disease incidence in Catalonia (Spain) 24 months after a mass vaccination programme of children and young people, **283**
mass media, National level promotion of physical activity: results from England's *ACTIVE* for LIFE campaign, **755**
mass screening, Quality assurance for screening mammography: an international comparison, **204**
matching stratified data, A heuristic approach to the formulas for population attributable fraction, **508**
measles, Attitudes of parents towards measles and immunisation after a measles outbreak in an anthroposophical community, **685**
median, What is the difference between controlling for mean versus median income in analyses of income inequality?, **352**
medical specialties, Suicide in doctors: a study of risk according to gender, seniority and specialty in medical practitioners in England and Wales, 1979–1995, **296**
meningococcal disease, Dramatic decline of serogroup C meningococcal disease incidence in Catalonia (Spain) 24 months after a mass vaccination programme of children and young people, **283**
mesothelioma, Community health risk assessment after a fire with asbestos containing fallout, **921**
meta-analysis, Glossary on meta-analysis, **534**
Participation of epidemiologists and/or biostatisticians and methodological quality of published controlled clinical trials, **569**
Mégapoles, Mégapoles Project: working on behalf of socially disadvantaged groups: *editorial,* **154**
Middle East, Non-communicable disease mortality rates using the verbal autopsy in a cohort of middle aged and older populations in Beirut during wartime, 1983–93, **271**
migration, Are cities becoming more unhealthy? An analysis of mortality rates in Belfast and Dublin between 1981 and 1991 to illustrate a methodological difficulty with ecological studies, **354**
milk, Milk, coronary disease and mortality: *editorial,* **375**
Milk, coronary heart disease and mortality, **379**
The confused Milky Way: *editorial,* **369**
models theoretical, Is it feasible to plan secondary care services for coronary heart disease rationally? A quantified modelling approach for a UK Health Authority, **521**
Monte Carlo method, Life expectancy as a summary of mortality in a population: statistical considerations and suitability for use by health authorities, **38**
mortality, An explanation of the persistent doctor-mortality association, **80**
Are the effects of psychosocial exposures attributable to confounding? Evidence from a prospective observational study on psychological stress and mortality, **878**
Area based measures of social and economic circumstances: cause specific mortality patterns depend on the choice of index, **149**
Childhood housing conditions and later mortality in the Boyd Orr cohort, **10**
Comparing meta-analysis and ecological-longitudinal analysis in time-series studies. A case study of the effects of air pollution on mortality in three Spanish cities, **423**
Effects of screening on cervical cancer incidence and mortality in New South Wales implied by influences of period of diagnosis and birth cohort, **782**
Following one of Cochrane's pathways: *editorial,* **73**
Food intake patterns, self rated health and mortality in Danish men and women. A prospective observational study, **399**
Mortality in England and Wales attributable to current alcohol consumption, **383**
Non-communicable disease mortality rates using the verbal autopsy in a cohort of middle aged and older populations in Beirut during wartime, 1983–93, **271**
Population change and mortality in men and women: *editorial,* **9**
Role of age and sex in short-term and long term mortality after a first Q wave myocardial infarction, **487**
Self rated health and mortality: a long term prospective study in eastern Finland, **227**
Self rated health: Is it as good a predictor of subsequent mortality among adults in lower as well as in higher social classes?, **836**
Smoking in adolescence and young adulthood and mortality in later life: prospective observational study, **334**
The anomaly that finally went away?: *editorial,* **79**
The life course, childhood housing conditions and adult health: *editorial,* **6**
mortality changes, Are cities becoming more unhealthy? An analysis of mortality rates in Belfast and Dublin between 1981 and 1991 to illustrate a methodological difficulty with ecological studies, **354**
mortality disparity, The national financial adjustment policy and the equalisation of health levels among prefectures, **748**
multilevel regression analysis, Neighbourhood level and individual level SES effects on child problem behaviour: a multilevel analysis, **246**
mutations, Exposures, mutations and the history of causality: *letter,* **607**
myocardial infarction, Gender differences in seasonality of acute myocardial infarction admissions and mortality in a population-based study, **147**
Relation of socioeconomic position to the case fatality, prognosis and treatment of myocardial infarction events; the FINMONICA MI Register Study, **475**
Role of age and sex in short-term and long term mortality after a first Q wave myocardial infarction, **487**

National Service Frameworks, National Service Frameworks: promoting the public health: *editorial,* **373**
neighbourhood deprivation, Neighbourhood level and individual level SES effects on child problem behaviour: a multilevel analysis, **246**
neocolonialism, Neocolonialism and epidemiology: *editorial,* **153**
neurological development, Polychlorinated biphenyls (PCBs) and neurological development in children: a systematic review, **537**
newborns, Neonatal nicotine withdrawal syndrome: *letter,* **687**
non-response, National health surveys by mail or home interview: effects on response, **408**

nuclear plant, The incidence of childhood leukaemia around the La Hague nuclear waste reprocessing plant (France): a survey for the years 1978–1998, **469**
nuclear waste, Nuclear waste as a public health challenge: *editorial,* **449**

obesity, Impact of smoking status on weight loss and cardiovascular risk factors, **213**
Mismatch between perceived and actual overweight in diabetic and non-diabetic populations: a comparative study of South Asian and European women, **332**
Socioeconomic status and weight control practices in British adults, **185**
occupational health, Predictors of incidence and prevalence of green tobacco sickness among Latino farmworkers in North Carolina, USA, **818**
ocular melanoma, Incidence of ocular melanoma in the general population and in glaucoma patients, **338**
oestrogen receptor status, Prognostic factors in women with breast cancer: distribution by socioeconomic status and effect on differences in survival, **308**
older people, Glossaries in public health: older people, **223**
olive oil, Olive oil and colorectal cancer: *letter,* **448**
oral cancer, Lower use of dental services among long term cigarette smokers, **389**

participation, Methods used to maintain a high level of participant involvement in a clinical trial, **348**
partner abuse, Women's strategic responses to violence in Nicaragua, **547**
paternal effects, Paternal contribution to birth weight, **873**
patient information, Misconceptions about efficacy of mammography screening: a public health dilemma, **799**
philosophy, Causation in epidemiology, **905**
physical activity, Educational level and decreases in leisure time physical activity: predictors from the longitudinal GLOBE study, **562**
National level promotion of physical activity: results from England's *ACTIVE* for LIFE campaign, **755**
Self reported physical activity, public health, and perceived environment: results from a comparative European study, **139**
physical functioning, Determinants of levels and changes of physical functioning in chronically ill persons: results from the GLOBE Study, **631**
physiotherapy, Why don't patients do their exercises? Understanding non-compliance with physiotherapy in patients with osteoarthritis of the knee, **132**
policy implications, The new policy implications box, **689**
political economy, Health, equity, justice and globalisation: some lessons from the People's Health Assembly, **613**
politics, Epidemiology as discourse: the politics of development institutions in the epidemiological profile of El Salvador, **164**
Nationalism, international public health assistance, and epidemiologic transitions: *editorial,* **156**
polychlorinated biphenyls, Polychlorinated biphenyls (PCBs) and neurological development in children: a systematic review, **537**
population based study, Incidence of ocular melanoma in the general population and in glaucoma patients, **338**
population change, Population change and mortality in men and women: *editorial,* **9**
population weighting, Assessing socioeconomic effects on different sized populations: To weight or not to weight?, **913**
postal survey, Provision of pen along with questionnaire does not increase the response rate to a postal survey: a randomised controlled trial, **595**
poverty, Teenage childbearing in Great Britain and the spatial concentration of poverty households, **16**
The social patterning of teenage pregnancy: *editorial,* **5**
pregnancy, Self reported alcohol intake in pregnancy: comparison between four methods, **738**
prevention, Evaluation of "Live for Life", a health promotion programme in the County of Skaraborg, Sweden, **277**
primary health care, Evaluation of "Live for Life", a health promotion programme in the County of Skaraborg, Sweden, **277**
priority setting, Rationalising chances of success in intersectoral health policy making, **342**
prison inmates, Use of health services by prison inmates: comparisons with the community, **364**
prognosis, Role of age and sex in short-term and long term mortality after a first Q wave myocardial infarction, **487**
prospective study, The relation between questions indicating transient ischaemic attack and stroke in 20 years of follow up in men and women in the Renfrew/Paisley Study, **653**
proxy, Adolescents' proxy reports of parents' socioeconomic status: How valid are they?, **731**
psychiatric illness, Ethnicity, self reported psychiatric illness, and intake of psychotropic drugs in five ethnic groups in Sweden, **657**
psychology, The many causes of human despair, La Ramblas, Barcelona: *editorial,* **451**
psychosocial factors, Are the effects of psychosocial exposures attributable to confounding? Evidence from a prospective observational study on psychological stress and mortality, **878**
psychosocial work characteristics, Psychosocial work characteristics and self rated health in four post-communist countries, **624**
psychotropic drugs, Ethnicity, self reported psychiatric illness, and intake of psychotropic drugs in five ethnic groups in Sweden, **657**
public health, Epidemiology is more than discourse: critical thoughts from Latin America: *editorial,* **158**
Health Impact Assessment—and beyond: *editorial,* **219**
Housing matters: *editorial,* **1**
Implementing public health at the national level: *editorial,* **772**
Methods in epidemiology and public health: does practice match theory?, **104**
Public health and colonialism: a new or old problem?: *editorial,* **162**
Public health at different levels: *editorial,* **769**
San Carlos, **689**
The internet, public health, and the globalisation of just about everything: *editorial,* **74**
Where's the evidence?—Making the case for public health: *editorial,* **77**

qualitative research, Why don't patients do their exercises? Understanding non-compliance with physiotherapy in patients with osteoarthritis of the knee, **132**
quality assurance, Quality assurance for screening mammography: an international comparison, **204**
questionnaire, Does method of distribution improve GPs' response rate in questionnaire studies?: *letter,* **687**
Does sending a home safety questionnaire increase recruitment to an injury prevention trial? A randomised controlled trial, **845**

racism, A glossary for social epidemiology, **693**
record linkage, Depression and anxiety in people with inflammatory bowel disease, **716**
recruitment, Methods used to maintain a high level of participant involvement in a clinical trial, **348**
referees, Tobacco consumption and bladder cancer in non-coffee drinkers, **68**
regression, A heuristic approach to the formulas for population attributable fraction, **508**
relative risk, Decline of the relative risk of death associated with low employment grade at older age: the impact of age related differences in smoking, blood pressure and plasma cholesterol, **24**
research challenges, Health promotion research: dilemmas and challenges, **257**
research dilemmas, Health promotion research: dilemmas and challenges, **257**
response rate, Does method of distribution improve GPs' response rate in questionnaire studies?: *letter,* **687**
risk behaviours, Risk behaviours and self rated health in Russia 1998, **806**
risk factor, Vision of a rapid, flexible, cost effective, survey-based public health surveillance system: *editorial,* **612**
risk factors, Decline of the relative risk of death associated with low employment grade at older age: the impact of age related differences in smoking, blood pressure and plasma cholesterol, **24**
rural area, Performance of surrogate markers of low birth weight at community level in rural India, **366**
rural health, A multilevel analysis of the effects of rurality and social deprivation on premature limiting long term illness, **44**

sampling distribution, Life expectancy as a summary of mortality in a population: statistical considerations and suitability for use by health authorities, **38**
screening, Evaluation of "Live for Life", a health promotion programme in the County of Skaraborg, Sweden, **277**
Patient follow up screening evaluations. Examples with regard to congenital hip dislocation and congenital heart disease, **126**
seasons, Gender differences in seasonality of acute myocardial infarction admissions and mortality in a population-based study, **147**
seawater, Recreation in coastal waters: health risks associated with bathing in sea water, **442**
self rated disease, Longitudinal study of associations between perceived health status and self reported diseases in the French Gazel cohort, **233**
self rated health, Food intake patterns, self rated health and mortality in Danish men and women. A prospective observational study, **399**
Perceived environmental housing quality and wellbeing of movers, **708**
Psychosocial work characteristics and self rated health in four post-communist countries, **624**
Risk behaviours and self rated health in Russia 1998, **806**
Self rated health and mortality: a long term prospective study in eastern Finland, **227**
Self rated health: Is it as good a predictor of subsequent mortality among adults in lower as well as in higher social classes?, **836**
The role of income differences in explaining social inequalities in self rated health in Sweden and Britain, **556**

What is the difference between controlling for mean versus median income in analyses of income inequality?, **352**
self reported health, Ethnic differences in self reported health in Malmö in southern Sweden, **97**
sense of coherence, Wellbeing of professionals at entry into the labour market: a follow up survey of medicine and architecture students, **831**
serogroup C, Dramatic decline of serogroup C meningococcal disease incidence in Catalonia (Spain) 24 months after a mass vaccination programme of children and young people, **283**
sex factors, Gender inequalities in health among workers: the relation with family demands, **639**
Role of age and sex in short-term and long term mortality after a first Q wave myocardial infarction, **487**
sex ratio, Sex ratio at birth and latitude: *letter,* **216**
Sex ratio at birth, latitude, hormones, and temperature: *letter,* **848**
sickness absence, Performance of surrogate markers of low birth weight at community level in rural India: *letter,* **366**
smoking, Cigarette smoking, alcohol intoxication and major depressive episode in a representative population sample, **573**
Exposure to environmental tobacco smoke: association with personal characteristics and self reported health conditions, **721**
Impact of smoking status on weight loss and cardiovascular risk factors, **213**
Mortality among male and female smokers in Sweden: a 33 year follow up, **825**
Smoking in adolescence and young adulthood and mortality in later life: prospective observational study, **334**
Tobacco consumption and bladder cancer in non-coffee drinkers, **68**
Tobacco industry efforts at discrediting scientific knowledge of environmental tobacco smoke: a review of internal industry documents, **588**
Widening social inequalities in smoking cessation in Spain, 1987–1997, **729**
social class, Change in male and female life expectancy by social class: decomposition by age and cause of death in Finland 1971–95, **494**
social inequality, Widening social inequalities in smoking cessation in Spain, 1987–1997, **729**
social network, Ethnic differences in self reported health in Malmö in southern Sweden, **97**
social support, Ethnic differences in self reported health in Malmö in southern Sweden, **97**
sociodemographic variables, Dietary patterns among a national random sample of British adults, **29**
socioeconomic circumstances, Area based measures of social and economic circumstances: cause specific mortality patterns depend on the choice of index, **149**
socioeconomic differentials, Are the effects of psychosocial exposures attributable to confounding? Evidence from a prospective observational study on psychological stress and mortality, **878**
socioeconomic factors, Gender inequalities in health among workers: the relation with family demands, **639**
Material deprivation and leading causes of death by gender: evidence from a nationwide small area study, **239**
socioeconomic status, Adolescents' proxy reports of parents' socioeconomic status: How valid are they?, **731**
Assessing socioeconomic effects on different sized populations: To weight or not to weight?, **913**
Decline of the relative risk of death associated with low employment grade at older age: the impact of age related differences in smoking, blood pressure and plasma cholesterol, **24**
Educational level and decreases in leisure time physical activity: predictors from the longitudinal GLOBE study, **562**
Explanations for differences in health outcomes between neighbourhoods of varying socioeconomic level: *letter,* **847**
Multilevel analyses of neighbourhood socioeconomic context and health outcomes: a critical review, **111**
Relation of socioeconomic position to the case fatality, prognosis and treatment of myocardial infarction events; the FINMONICA MI Register Study, **475**
Relative contribution of early life and adult socioeconomic factors to adult morbidity in the Whitehall II study, **301**
Social circumstances in childhood and cardiovascular disease mortality: prospective observational study of Glasgow University students, **340**
Socioeconomic status and weight control practices in British adults, **185**
The socioeconomic status of older adults: How should we measure it in studies of health inequalities?, **895**
statistics, A heuristic approach to the formulas for population attributable fraction, **508**
stress, Measuring demographic group differences in cardiovascular reactivity to stress using a mental challenge in the laboratory: problems of interpretation: *letter,* **288**
stroke, Suicide after a stroke: a population study, **863**
The relation between questions indicating transient ischaemic attack and stroke in 20 years of follow up in men and women in the Renfrew/Paisley Study, **653**
study design, Patient follow up screening evaluations. Examples with regard to congenital hip dislocation and congenital heart disease, **126**
subjective health, Consumption of alcoholic beverages and subjective health in Spain, **648**
substance abuse, Large decline in injecting drug use in Amsterdam, 1986–1998: explanatory mechanisms and determinants of injecting transitions, **356**
suicide, Suicide after a stroke: a population study, **863**
Suicide in doctors: a study of risk according to gender, seniority and specialty in medical practitioners in England and Wales, 1979–1995, **296**
Trends in young adult mortality in three European cities: Barcelona, Bologna and Munich, 1986–1995, **577**
surveillance, How complete is AIDS surveillance in Europe? An eagle eye comparison with mortality data, **52**
Large decline in injecting drug use in Amsterdam, 1986–1998: explanatory mechanisms and determinants of injecting transitions, **356**
The completeness of AIDS surveillance in Europe: difficulties and new challenges: *editorial,* **7**
surveillance system, Vision of a rapid, flexible, cost effective, survey-based public health surveillance system: *editorial,* **612**
survival, Partitioned prostate cancer prevalence estimates: an informative measure of the disease burden, **191**
Prognostic factors in women with breast cancer: distribution by socioeconomic status and effect on differences in survival, **308**
systematic review, Polychlorinated biphenyls (PCBs) and neurological development in children: a systematic review, **537**

teenage pregnancy, Teenage childbearing in Great Britain and the spatial concentration of poverty households, **16**
The social patterning of teenage pregnancy: *editorial,* **5**
terrorism, A new international public health target: *editorial,* **851**
Dealing with terrorism: a public health agenda: *editorial,* **849**
Public health and moving upstream of terrorism: *editorial,* **849**
Response to crisis: *editorial,* **850**
Revenge is not the answer; leadership could be: *editorial,* **850**
time preference, The discount rate in the economic evaluation of prevention: a thought experiment, **123**
tobacco industry, Tobacco industry efforts at discrediting scientific knowledge of environmental tobacco smoke: a review of internal industry documents, **588**
tobacco smoke, Measurement of self reported active exposure to cigarette smoke, **674**
Neonatal nicotine withdrawal syndrome: *letter,* **687**
traffic accidents, Trends in young adult mortality in three European cities: Barcelona, Bologna and Munich, 1986–1995, **577**
traffic exposure, Socioeconomic differences in road traffic injuries during childhood and youth: a closer look at different kinds of road user, **858**
trends, Trends in the hospital management of unstable angina, **483**
trial recruitment, Does sending a home safety questionnaire increase recruitment to an injury prevention trial? A randomised controlled trial, **845**
twins, Do genetic factors contribute to the association between birth weight and blood pressure?, **583**

ulcerative colitis, Depression and anxiety in people with inflammatory bowel disease, **716**
unemployment, Glossary: unemployment, job insecurity, and health, **776**
university graduates, Wellbeing of professionals at entry into the labour market: a follow up survey of medicine and architecture students, **831**
unstable angina, Trends in the hospital management of unstable angina, **483**

vaccination, Dramatic decline of serogroup C meningococcal disease incidence in Catalonia (Spain) 24 months after a mass vaccination programme of children and young people, **283**
Hepatitis B immunisation of household contacts: retrospective study of vaccine coverage, **934**
vaccinology, A basic glossary of vaccinology, **294**
variance analysis, Diastolic blood pressure and area of residence: multilevel versus ecological analysis of social inequity, **791**
violence, How do women cope with family violence? Moving ahead in our understanding of international issues: *editorial,* **531**
Violence: a challenge for public health and for all, **597**
Violence and public health: *editorial,* **529**
Women's strategic responses to violence in Nicaragua, **547**

water microbiology, Recreation in coastal waters: health risks associated with bathing in sea water, **442**
water pollution, Recreation in coastal waters: health risks associated with bathing in sea water, **442**
weight control, Socioeconomic status and weight control practices in British adults, **185**

welfare benefits, Family violence, employment status, welfare benefits, and alcohol drinking in the United States: what is the relation?, **172**
women, How do women cope with family violence? Moving ahead in our understanding of international issues: *editorial,* **531**
Women's strategic responses to violence in Nicaragua, **547**
working conditions, Performance of surrogate markers of low birth weight at community level in rural India: *letter,* **366**
working hours, Long working hours and risk for hypertension in Japanese male white collar workers, **316**
writing, Macho rhubarb: *letter,* **687**

young adult mortality, Trends in young adult mortality in three European cities: Barcelona, Bologna and Munich, 1986–1995, **577**
young adulthood, Smoking in adolescence and young adulthood and mortality in later life: prospective observational study, **334**
young people, Meeting the health needs of young people: *editorial,* **532**